




Weeks 2-3 Global Tropics Hazards Outlook 2/28/2022

Danny Barandiaran NWS / NCEP / Climate Prediction Center

Outlook Review: TC development & anomalous precipitation during the past week

- 1: Enala, 2/22
- 2: Judy, 2/26



ENSO: (February 9, 2023 Update) next update on Thursday, Mar 9th

- ENSO Alert System Status: La Niña Advisory
- ENSO-neutral conditions are expected to begin within the next couple of months, and persist through the Northern Hemisphere spring and early summer.

MJO and other subseasonal tropical variability:


•The MJO signal has weakened over the last week after several weeks of a robust signal with typical eastward propagation from the Indian Ocean into the Central Pacific.

•Interference from various modes, including the ongoing La Niña, have resulted in period of erratic behavior in the RMM index.

•Dynamical model MJO index forecasts generally depict a re-emerging stronger Pacific signal during week-1, followed by a resumption of eastward propagation of the signal during week-2.

•Pacific MJO activity may help further weaken the La Niña signal through low-level westerly wind anomalies promoting eastward propagation of warmer water across the Pacific.

GTH Outlook:




lssued: 02/28/2023 Forecaster: Barandiaran This product is updated once per week and targets broad scale conditions integrated over a 7-day period for US interests only. Consult your local responsible forecast agency.


200-hPa Velocity Potential Anomaly Maps:

- Global tropical convection is disorganized at present, with no clear wave structure.
- Strong wave-1 pattern quickly emerges by week-2, with enhanced convective envelope over the Americas.
- Eastward propagation takes

 anhanced convection over Africa
 anto weeks 3-4.




RMM Index Observations & Forecasts:




•Dynamical model MJO index forecasts generally show a strengthening signal during Week-1, followed by a resumption of eastward propagation during Week-2.

•The frequent changes in signal strength may reflect other modes interfering with the broader MJO signal.


Outgoing Longwave Radiation (OLR) Anomaly Time/Lon Plots:







Historical Precipitation Anomalies By MJO Phase:


JFM MJO Composite: GPCP1DD (mm/day)









Phase 6




Phase 3




Phase 7



Phase 4











Historical TC Origin Anomalies By MJO Phase & Weeks 2+3 Genesis Climo:




Experimental


Tropical Cyclone Monitoring/Forecast: NHC





Tropical Cyclone Monitoring/Forecast: JTWC




Multi-Model TC Track Probabilities/Densities: Week-2









AO Index: Observed & GEFS Forecasts




Historical 500-hPa Height & U.S. Temperatures By MJO Phase:


Phase 1









Phase 3












Phase 8

JFM MJO Composite: CDAS 500-hPa Height (m)







Mean 500-hPa Height Anomaly Forecasts:



Official Temperature & Precipitation Forecasts:





Issued: 02/28/2023 Forecaster: Barandiaran This product is updated once per week and targets broad scale conditions integrated over a 7-day period for US interests only. Consult your local responsible forecast agency.